

SECTION 1 IDENTIFICATION

Product Name: Signature® HD MG MO 10W-30 and 15W-40

Distributor Information:

Parman Energy Group 7101 Cockrill Bend Blvd Nashville, TN 37209 (800) 727-7920

Product Use: Diesel Engine Oil

Emergency Phone Number:

PERS (800) 633-8253

SECTION 2 HAZARD(S) IDENTIFICATION

Classification: Not classified as hazardous according to 29 CFR 1910.1200 (2012). **Environmental Hazards:** Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

Precautionary Statements:

Prevention: Avoid release to the environment. **Disposal:** Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

Hazards Not Otherwise Classified: Not Applicable

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS Number	Amount
Highly Refined Mineral Oil (C15-C50)	Mixture	70-99 % weight

SECTION 4 FIRST-AID MEASURES

Description of first aid measures

Eye: No specific first aid measures are required. As a precaution, remove contact lenses, if worn, and flush eyes with water.

Skin: No specific first aid measures are required. As a precaution, remove clothing and shoes if contaminated. To remove the material from skin, use soap and water. Discard contaminated clothing and shoes or thoroughly clean before reuse.

Ingestion: No specific first aid measures are required. Do not induce vomiting. As a precaution, get medical advice.

Product (s) manufactured in the USA.



Inhalation: No specific first aid measures are required. If exposed to excessive levels of material in the air, move the exposed person to fresh air. Get medical attention if coughing or respiratory discomfort occurs.

Most important symptoms and effects, both acute and delayed

IMMEDIATE HEALTH EFFECTS

Eye: Not expected to cause prolonged or significant eye irritation.

Skin: Contact with the skin is not expected to cause prolonged or significant irritation. Contact with the skin is not expected to cause an allergic skin response. Not expected to be harmful to internal organs if absorbed through the skin. **Ingestion:** Not expected to be harmful if swallowed.

Inhalation: Not expected to be harmful if inhaled. Contains a petroleum-based mineral oil. May cause respiratory irritation or other pulmonary effects following prolonged or repeated inhalation of oil mist at airborne levels above the recommended mineral oil mist exposure limit. Symptoms of respiratory irritation may include coughing and difficulty breathing.

DELAYED OR OTHER HEALTH EFFECTS: Not classified

Indication of any immediate medical attention and special treatment needed Not Applicable

SECTION 5 FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable: Use water, fog, foam, dry chemical or carbon dioxide (CO2) to extinguish flames.

Protection for Fire Fighters:

Fire-Fighting Instructions: This material will burn although it is not easily ignited. See Section 7 for proper handling and storage. For fires involving this material, do not enter any enclosed or confined fire space without proper protective equipment, including selfcontained breathing apparatus.

Combustion Products: Highly dependent on combustion conditions. A complex mixture of airborne solids, liquids, and gases including carbon monoxide, carbon dioxide, and unidentified organic compounds will be evolved when this material undergoes combustion.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Protective Measures: Eliminate all sources of ignition in vicinity of spilled material.

Spill Management: Stop the source of the release if you can do it without risk. Contain release to prevent further contamination of soil, surface water or groundwater. Clean up spill as soon as possible, observing precautions in Exposure Controls/Personal Protection. Use appropriate techniques such as applying non-combustible absorbent materials or pumping. Where feasible and appropriate, remove contaminated soil. Place contaminated materials in disposable containers and dispose of in a manner consistent with applicable regulations.

Reporting: Report spills to local authorities and/or the U.S. Coast Guard's National Response Center at (800) 424-8802 as appropriate or required.

Product (s) manufactured in the USA.



SECTION 7 HANDLING AND STORAGE

General Handling Information: Avoid contaminating soil or releasing this material into sewage and drainage systems and bodies of water.

Precautionary Measures: Keep out of the reach of children.

Static hazard: Electrostatic charge may accumulate and create a hazardous condition when handling this material. To minimize this hazard, bonding and grounding may be necessary but may not, by themselves, be sufficient. Review all operations which the potential of generating and accumulating an electrostatic charge and/or a flammable atmosphere (including tank and container filling, splash filling, tank cleaning, sampling, gauging, switch loading, filtering, mixing, agitation, and vacuum truck operations) and use appropriate mitigating procedures.

Container Warnings: Container is not designed to contain pressure. Do not use pressure to empty container or it may rupture with explosive force. Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressur ize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioned or disposed of properly.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

General Considerations:

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Engineering Controls: Use in a well-ventilated area.

Personal Protective Equipment:

Eye/Face Protection: No special eye protection is normally required. Where splashing is possible, wear safety glasses with side shields as a good safety practice.

Skin and Body Protection: No special protective clothing is normally required. Where splashing is possible, select protective clothing depending on operations conducted, physical requirements and other substances in the workplace. Suggested materials for protective gloves include: 4H (PE/EVAL), Nitrile Rubber, Silver Shield, Viton.

Respiratory Protection: No respiratory protection is normally required. If user operations generate an oil mist, determine if airborne concentrations are below the occupational exposure limit for mineral oil mist. If not, wear an approved respirator that provides adequate protection from the measured concentrations of this material. For air-purifying respirators use a particulate cartridge. Use a positive pressure air-supplying respirator in circumstances where air-purifying respirators may not provide adequate protection.

Occupational Exposure Limits:

Product (s) manufactured in the USA.



Component					
Highly refined mineral oil (C15-C50)	OSHA Z-1	TWA	STEL	Ceiling	
Highly refined mineral oil (C15-C50)	ACGIH	5 mg/m3			

Consult local authorities for appropriate values

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Attention: the data below are typical values and do not constitute a specification.

Color: Light to Brown Physical State: Liquid Odor: Petroleum odor

Odor Threshold: No data available pH: No data available Vapor Pressure: No data available Vapor Density (Air = 1): No data available Initial Boiling Point: 315°C (599°F) Solubility: Soluble in hydrocarbon; insoluble in water. Freezing Point: No data available Melting Point: No data available

Density: 0.8779 kg/l @ 15° C (59° F) (Typical) Viscosity: 14 mm2/s @ 100° C (212° F) Minimum Evaporation Rate: No data available Decomposition temperature: No data available Octanol/Water Partition Coefficient: No data available

Flammable Properties: Flammability (solid, gas): No data available Flash Point: (Cleveland Open Cup) 215°C (419°F) Minimum Auto-ignition temperature: No data available Flammability (Explosive) Limits (% by volume in air): Lower: Not applicable Upper: Not applicable

SECTION 10 STABILITY AND REACTIVITY

Reactivity: May react with strong acids or strong oxidizing agents, such as chlorates, nitrates, peroxides, etc. **Chemical Stability:** This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

Incompatibility With Other Materials: Not applicable

Product (s) manufactured in the USA.



Hazardous Decomposition Products: None known (None expected) Hazardous Polymerization: Hazardous polymerization will not occur.

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects:

Serious Eye Damage/Irritation: The eye irritation hazard is based on evaluation of data for product components.
Skin Corrosion/Irritation: The skin irritation hazard is based on evaluation of data for product components.
Skin Sensitization: The skin sensitization hazard is based on evaluation of data for product components.
Acute Dermal Toxicity: The acute dermal toxicity hazard is based on evaluation of data for product components.
Acute Oral Toxicity: The acute oral toxicity hazard is based on evaluation of data for product components.
Acute Inhalation Toxicity: The acute inhalation toxicity hazard is based on evaluation of data for product components.
Acute Toxicity Estimate: Not determined.
Germ Cell Mutagenicity: The hazard evaluation is based on data for components or a similar material.
Carcinogenicity: The hazard evaluation is based on data for components or a similar material.
Specific Target Organ Toxicity – Single Exposure: The hazard evaluation is based on data for components or a similar material.
Specific Target Organ Toxicity – Repeated Exposure: The hazard evaluation is based on data for components or a similar material.

Additional Toxicology Information:

Product (s) manufactured in the USA.

Always confirm that the product selected is consistent with the original equipment manufacturer's recommendation for the equipment operating conditions and customer's maintenance practices.

Signature[®] HD MG MO 10W-30, 15W-40 Safety Data Sheet



During use in engines, contamination of oil with low levels of cancer-causing combustion products occurs. Used motor oils have been shown to cause skin cancer in mice following repeated application and continuous exposure. Brief or intermittent skin contact with used motor oil is not expected to have serious effects in humans if the oil is thoroughly removed by washing with soap and water. This product contains petroleum base oils which may be refined by various processes including severe solvent extraction, severe hydrocracking, or severe hydrotreating. None of the oils requires a cancer warning under the OSHA Hazard Communication Stand ard (29 CFR 1910.1200). These oils have not been listed in the National Toxicology Program (NTP) Annual Report nor have they bee n classified by the International Agency for Research on Cancer (IARC) as; carcinogenic to humans (Group 1), probably carcinoge nic to humans (Group 2A), or possibly carcinogenic to humans (Group 2B). These oils have not been classified by the American Conference of Governmental Industrial Hygienists (ACGIH) as: confirmed human carcinogen (A1), suspected human carcinogen (A2), or confirmed animal carcinogen with unknown relevance to humans (A3).

SECTION 12 ECOLOGICAL INFORMATION

Ecotoxicity:

This material is expected to be harmful to aquatic organisms and may cause long-term adverse effects in the aquatic environment. The product has not been tested. The statement has been derived from the properties of the individual components.

Mobility:

No data available.

Persistence and Degradability:

This material is not expected to be readily biodegradable. The biodegradability of this material is based on an evaluation of data for the components or a similar material. The product has not been tested. The statement has been derived from the properties of the individual components.

Potential to Bioaccumulate

Bioconcentration Factor: No data available Octanol/Water Partition Coefficient: No data available

SECTION 13 DISPOSAL CONSIDERATIONS

Use material for its intended purpose or recycle if possible. Oil collection services are available for used oil recycling or disposal. Place contaminated materials in containers and dispose of in a manner consistent with applicable regulations. Contact your sales representative or local environmental or health authorities for approved disposal or recycling methods.

SECTION 14 TRANSPORT INFORMATION

The description shown may not apply to all shipping situations. Consult 49CFR, or appropriate Dangerous Goods Regulations, for additional description requirements (e.g., technical name) and mode-specific or quantity-specific shipping requirements.

DOT Shipping Description: PETROLEUM LUBRICATING OIL, NOT REGULATED AS A HAZARDOUS MATERIAL FOR TRANSPORTATION UNDER 49 CFR

IMO/IMDG Shipping Description: PETROLEUM LUBRICATING OIL; NOT REGULATED AS DANGEROUS GOODS FOR TRANSPORT UNDER THE IMDG CODE

Product (s) manufactured in the USA.

Signature[®] HD MG MO 10W-30, 15W-40 Safety Data Sheet



ICAO/IATA Shipping Description: PETROLEUM LUBRICATING OIL; NOT REGULATED AS DANGEROUS GOODS FOR TRANSPORT UNDER ICAO TI OR IATA DGR

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code: Not applicable

SECTION 15 REGULATORY INFORMATION

EPCRA 311/312 CATEGORIES	 Immediate (Acute) Health Effects: No Delayed (Chronic) Health Effects: No Fire Hazard: No Sudden Release of Pressure Hazard: No Reactivity Hazard: No 	
REGULATORY LISTS SEARCHED		
01-1=IARC Group 1 01-2A=IARC Group 2A 01-2B=IARC Group 2B 02=NTP Carcinogen	03=EPCRA 313 04=CA Proposition 65 05=MA RTK 06=NJ RTK 07=PA RTK	

No components of this material were found on the regulatory lists above.

Chemical Inventories:

All components comply with the following chemical inventory requirements: AICS (Australia), DSL (Canda), KECI (Korea), PICCS (Philippines), TSCA (United States).

One or more components is listed on ELINCS (European Union). Secondary notification by the importer may be required. All ot her components are listed or exempted from listing on EINECS.

One or more components does not comply with the following chemical inventory requirements: ENCS (Japan).

New Jersey RTK Classification:

SECTION 16 OTHER INFORMATION

Under the New Jersey Right-to-Know Act L. 1983 Chapter 315 N.J.S.A. 34:5A-1 et. Seq., the product is to be identified as follows: PETROLEUM OIL (Motor oil)

NFPA Ratings NFPA Health Hazard 0

HMIS Rating

Product (s) manufactured in the USA.

Signature[®] HD MG MO 10W-30, 15W-40 Safety Data Sheet



NFPA Fire Hazard1HMIS Fire Hazard1	HMIS Health Hazard	0 NFPA Reactivity	0 HMIS Reactivity 0				
(O-Least, 1-Slight, 2-Moderate, 3 Extreme, PPE:- Personal Protecti Equipment Index recommendati *Chronic Effect Indicator). Thes obtained using the guidelines or evaluations prepared by the Nat	ion on, e values are published ional Fire						
Protection Association (NFPA) or ratings).	r the National Paint and Coating Ass	ociation (for HMIS					
Label Recommendation: Label Category: ENGINE OIL 1 – ENG1							
Revision Statement: This revision the following sections of this Saf Sheet 2, 3, 4, 7, 8, 10, 11, 12							
TLV – Threshold Limit Value		TWA – Time Weighted	d Average				
STEL – Short-term Exposure Limit		PEL – Permissible Exposure Limit					
GHS – Globally Harmonized System		CAS – Chemical Abstract Service Number					
ACGIH – American Conference of Governmental Industrial Hygienists		IMO/IMDG – International Maritime Dangerous Goods Code					
API – American Petroleum Institute		SDS – Safety Data Sheet					
HMIS – Hazardous Materials Information System		NFPA – National Fire Protection Association (USA)					
DOT – Department of Transportation (USA)		NTP – National Toxicology Program (USA)					
IARC – International Agency for Research on Cancer		OSHA – Occupational Safety and Health Administration					
NCEL – New Chemical Exposure Limit		EPA – Environmental Protection Agency					
SCBA – Self-Contained Breathing	g Apparatus						

Revision Date: December 20, 2016

Abbreviations that may have been used in this document:

Prepared according to the 29 CFR 1910.1200 (2012) by Parman Energy

Parman Energy makes no waranty, representation or guarantee as to the accuracy, sufficiency or completeness of the material set forth herein. It is the use's responsibility b determine the safety, toxicity, and suitability of his own use, handling, and disposal of this product. Since actual use by others is beyond our control, no waranty, expressed or implied, is made by Pa man Energy as to the effects of such use, the results to be obtained or the safety and toxicity of this product, nor does Pa man Energy as sume liability arising out of the use by others of this product referred toherein. The data in this SDS relates on ly to the specific material designated herein and does not relate to use in combination with any other material or in any process.

Product (s) manufactured in the USA.